

## 嘉義大學資訊工程學系計算機專題報告參考格式

註：a. 以下格式與碩士班論文格式類似，請參閱系上的碩士班論文資料

b. 一般文字請以標楷體為原則

1. 摘要(以不超過一頁為限)：須含有專題名稱(24 點字、粗體)、學生、指導教授名稱(12 點字)、系所(12 點字)、摘要開頭(16 點字、粗體)、內容
2. 中文摘要內容(含關鍵字)：12 點字，每頁上下左右 3 公分邊界，首行縮排 2 個字，1.5 倍行高，頁碼：頁尾置中，例：- i -
3. 目錄：開頭 18 點字、粗體，內容 14 點字(頁碼說明，須使用 Word “參照”功能)
5. 圖表目錄：開頭 18 點字、粗體，內容 14 點字(頁碼說明，須使用 Word “參照”功能)
6. 表格目錄：開頭 18 點字、粗體，內容 14 點字(頁碼說明，須使用 Word “參照”功能)
7. 章 開頭，置中，20 點字粗體，上邊界 3 公分
8. 節 開頭 or 1.1，置左，16 點字粗體
9. 項 開頭 or 1.1.1 or 小標題，置左，14 點字粗體
10. 各章之間要隔頁、章節項標題上下須空行，如在頁首則只須下空行
11. (a)文章內容：雙行間距，12 點字，每頁上下 2 公分邊界，左 2.5 公分、右 2 公分邊界，首行縮排 2 個字  
(b)頁碼：頁尾置中，例：-1-  
(c)結果與討論  
(d)結論  
(f)參考文獻(Reference)：內容 12 點字，單行間距，各篇論文間須空行，以 IEEE 格式列出(見下頁範例)，凸行縮排 1 公分，依作者姓氏字母(或筆劃)排序，須使用 Word “參照”功能
12. 圖於文章內插入，圖表說明為 12 點字置於圖之下方，編號方式須依章來排列，例：第一章中的第一張圖，中文格式以“圖 1.1：圖例說明”表示，英文格式以“Figure 1.1：圖例說明”表示
13. 表格於文章內插入，表格說明為 12 點字置於表之上方，編號方式須依章來排列，例：第二章中的第三個表格，中文格式以“表 2.3：表格說明”表示，英文格式以“Table 2.3：表格說明”表示
14. 方程式、公式於文章內插入，12 點字，編號方式須依章來排列，例：第三章中的第一個方程式以“(3-1)”表示
15. 圖如為彩色照片採彩色光面 3x5 照片
16. 正文前頁碼以羅馬字型，例：- i -
17. 程式／演算法以單行間距

## References ( 參考文獻 )

- [1] G. O. Young, “Synthetic structure of industrial plastics (Book style with paper title and editor),” in *Plastics*, 2nd ed. vol. 3, J. Peters, Ed. New York: McGraw-Hill, 1964, pp. 15 – 64.
- [2] W.-K. Chen, *Linear Networks and Systems* (Book style). Belmont, CA: Wadsworth, 1993, pp. 123 – 135.
- [3] H. Poor, *An Introduction to Signal Detection and Estimation*. New York: Springer-Verlag, 1985, ch. 4.
- [4] B. Smith, “An approach to graphs of linear forms (Unpublished work style),” unpublished.
- [5] E. H. Miller, “A note on reflector arrays (Periodical style—Accepted for publication),” *IEEE Trans. Antennas Propagat.*, to be published.
- [6] J. Wang, “Fundamentals of erbium-doped fiber amplifiers arrays (Periodical style—Submitted for publication),” *IEEE J. Quantum Electron.*, submitted for publication.
- [7] C. J. Kaufman, Rocky Mountain Research Lab., Boulder, CO, private communication, May 1995.
- [8] Y. Yorozu, M. Hirano, K. Oka, and Y. Tagawa, “Electron spectroscopy studies on magneto-optical media and plastic substrate interfaces (Translation Journals style),” *IEEE Transl. J. Magn. Jpn.*, vol. 2, Aug. 1987, pp. 740 – 741 [*Dig. 9<sup>th</sup> Annu. Conf. Magnetism* Japan, 1982, p. 301].
- [9] M. Young, *The Technical Writers Handbook*. Mill Valley, CA: University Science, 1989.
- [10] J. U. Duncombe, “Infrared navigation—Part I: An assessment of feasibility (Periodical style),” *IEEE Trans. Electron Devices*, vol. ED-11, pp. 34 – 39, Jan. 1959.
- [11] S. Chen, B. Mulgrew, and P. M. Grant, “A clustering technique for digital communications channel equalization using radial basis function networks,” *IEEE Trans. Neural Networks*, vol. 4, pp. 570 – 578, July 1993.
- [12] R. W. Lucky, “Automatic equalization for digital communication,” *Bell Syst. Tech. J.*, vol. 44, no. 4, pp. 547 – 588, Apr. 1965.
- [13] S. P. Bingulac, “On the compatibility of adaptive controllers (Published Conference Proceedings style),” in *Proc. 4th Annu. Allerton Conf. Circuits and Systems Theory*, New York, 1994, pp. 8 – 16.
- [14] G. R. Faulhaber, “Design of service systems with priority reservation,” in *Conf. Rec. 1995 IEEE Int. Conf. Communications*, pp. 3 – 8.

- [15] W. D. Doyle, "Magnetization reversal in films with biaxial anisotropy," in *1987 Proc. INTERMAG Conf.*, pp. 2.2-1 – 2.2-6.
- [16] G. W. Juette and L. E. Zeffanella, "Radio noise currents in short sections on bundle conductors (Presented Conference Paper style)," presented at the IEEE Summer power Meeting, Dallas, TX, June 22 – 27, 1990, Paper 90 SM 690-0 PWRS.
- [17] J. G. Kreifeldt, "An analysis of surface-detected EMG as an amplitude-modulated noise," presented at the 1989 Int. Conf. Medicine and Biological Engineering, Chicago, IL.
- [18] J. Williams, "Narrow-band analyzer (Thesis or Dissertation style)," Ph.D. dissertation, Dept. Elect. Eng., Harvard Univ., Cambridge, MA, 1993.
- [19] N. Kawasaki, "Parametric study of thermal and chemical nonequilibrium nozzle flow," M.S. thesis, Dept. Electron. Eng., Osaka Univ., Osaka, Japan, 1993.
- [20] J. P. Wilkinson, "Nonlinear resonant circuit devices (Patent style)," U.S. Patent 3 624 12, July 16, 1990.
- [21] *IEEE Criteria for Class IE Electric Systems* (Standards style), IEEE Standard 308, 1969.
- [22] *Letter Symbols for Quantities*, ANSI Standard Y10.5-1968.
- [23] R. E. Haskell and C. T. Case, "Transient signal propagation in lossless isotropic plasmas (Report style)," USAF Cambridge Res. Lab., Cambridge, MA Rep. ARCRL-66-234 (II), 1994, vol. 2.
- [24] E. E. Reber, R. L. Michell, and C. J. Carter, "Oxygen absorption in the Earth's atmosphere," Aerospace Corp., Los Angeles, CA, Tech. Rep. TR-0200 (420-46)-3, Nov. 1988.
- [25] (Handbook style) *Transmission Systems for Communications*, 3rd ed., Western Electric Co., Winston-Salem, NC, 1985, pp. 44 – 60.
- [26] *Motorola Semiconductor Data Manual*, Motorola Semiconductor Products Inc., Phoenix, AZ, 1989.
- [27] (Basic Book/Monograph Online Sources) J. K. Author. (year, month, day). *Title* (edition) [Type of medium]. Volume(issue). Available: [http://www.\(URL\)](http://www.(URL))
- [28] J. Jones. (1991, May 10). *Networks* (2nd ed.) [Online]. Available: <http://www.atm.com>
- [29] (Journal Online Sources style) K. Author. (year, month). *Title. Journal* [Type of medium]. Volume(issue), paging if given. Available: [http://www.\(URL\)](http://www.(URL))
- [30] R. J. Vidmar. (1992, August). On the use of atmospheric plasmas as electromagnetic reflectors. *IEEE Trans. Plasma Sci.* [Online]. 21(3). pp. 876—880. Available: <http://www.halcyon.com/pub/journals/21ps03-vidmar>